





Installation of the lamps on the display

1.1. Install our App **Avox** Smart control with the QR Code or over the App Store / Google play Store







1.2. Subscribe with the current account:



View on smartphone / tablet



1.3. Now you are asked if you want to add a new lamp.



- 1.4. Press "Continue".
- 1.5. Here you can check if it is the desired lamp.



1.6. If the lamp can be switched on and off - press "Next".

1.7. If desired the luminaire can be personalized with a photo.





1.8. If necessary, a different name can be given here.



Press "Next".

1.9. Here you can select the desired room.



In order to help with their control, your devices are automatically grouped by room.

In which room do you want to install your device ?

SELECT AN EXISTING ROOM

Living room

- + Living room
- + Hall
- + Office
- + Bedroom
- + Kitchen
- + Dining room
- + Bathroom
- + Media room
- + Hallway

Previous

Next

Press "Next".

1.10. The light flashes green and goes into the warm white mode.



- 1.11. Press "Finish".
- 1.12. Repeat the steps 1. 3. 1. 13. until all lamps are added.

If the next lamp does not appear automatically (as in step 1. 3.), click "+" To find the new one.

iPad 〒米	11:03		┦ 券 58 % 🔲 •
Ξ	My devices	\bigcirc	/ +
	\bigcirc		

If all the luminaires were properly installed, it should look as follows:

Handy / Tablet:



Display:



Adjustment

Make sure the settings are as follows:



🕇 🗚 57 % 🗔 🕩

>

>

٦

>

>

2. Tie-in the remote control

2.1. Tie-in the remote control into the app:

2. 2. Go to "My controllers"



2. 3. The "Controller" window appears, tap "+" to add a controller.



2. 4. Press **"ON and the blue"** ... as shown in figure 1 until the red signal flashes in the middle - Figure 2





Figure 1



Figure 2

- 2.5. The remote control appears on the display.
- 2. 6. Tip on "Remote control" and follow the red marked steps.





Welcome to the setup wizard of your EGLORemote

First, please make sure you are in range of your product thanks to the button below.







To list your device more easily in the app, you can rename it.

Remote control

Previous		Next

2.7. Now you have the option to choose from the predefined rooms.







- 2.8. Thus the remote control is integrated into the system. What does not mean that you can control the "office lights now.
- 2.9. Each remote is a group. Now you have to assign the lights to this group.

2. 10. To create your own groups, follow the steps marked in red. Click on **"My groups"**

iPad ᅙ	×	11:04	1 ∦ 57	% 🗔
		My devices	1	+
Q	My devices	$\left(\begin{array}{c} 0 \end{array} \right)$	On	Off
00	My groups			
0	My controllers			
0	Proximity detection			
\downarrow	Updates			
Ś	Settings			
	Overview			

2. 11. Keep the remote control icon pressed until the next window appears.



2. 12. Now you can select all the lamps, which should also be controlled with the remote control.

iPad ᅙ		11:10	√ ∦ 56 % □□•
K My gro	ups	Edit group	
Remo	ote control		
Only device	s from SmartLIGHT Mesh range c	an be paired to the remote control.	
INFORMATI	NC		
Name	Remote control		
lmage			<u>`O</u>
DEVICES			
	EGLOSpot		
	EGLOSpot		
	EGLOSpot		
	EGLOCeiling		
	EGLOSpot		
-	EGLOPanel		
	EGLOCeiling		

2. 13. When all desired lights are highlighted,

press the **"Save"** icon.





Now all the selected luminaires can also be controlled with the remote control.

3. Reset to factory setting of the bulbs and luminaires

3. 1. <u>To reset the lights to the **factory setting**, follow these steps:</u>

- 1. Switch off ALL the lights with a switch (not with the remote control!).
- 2. Turn on the light for **1 second**, turn off the light for **1 second**.
- 3. Turn on the light for **1 second**, turn off the light for **1 second**.
- 4. Turn on the light for **1 second**, turn off the light for **1 second**.
- 5. Turn on the light for **5 second**, turn off the light for **1 second**.
- 6. Turn on the light for **5 second**, turn off the light for **1 second**.
- Switch on the lamp, it will restart and blink 3 times green, flashes once white and then turns red. Now the luminaire is reset to the factory setting.



8. Now you can pair the luminaire with any unit new.

Reset to factory setting of the remote control

- 3. 2. To reset the remote control to the factory default, follow these steps:
 - 1. Press the **"ON" + "Color Transition"** button simultaneously for **4 seconds** (see Figure 1) until the red diode **flashes 4 times** (see Figure 2).



Figure1

Figure 2

Thus, the remote control is reset to the factory setting.

4. Modify assigned rooms

4. 1. Press on "My devices"



4. 2. Keep the marked light (in the "office") pressed until the next picture appears.



4. 3. Press the cleat "Room"

iPad ᅙ		11:13	≁ ∦ 55 % 🔲∙
K My device	S		
EGLOC	eiling		
INFORMATION			
Name	EGLOCeiling		
Room	Office		>
lmage			`
Version	1.2.3		

4. 4. Here you can select a new room.



4. 5. Press the **"Save"** icon.



iPad ᅙ		11:13	≁ ∦ 55 % 🕞
🗙 My device	es		
EGLOC	ceiling		
INFORMATION			
Name	EGLOCeiling		
Room	Hall		>
Image			· O ·
Version	1.2.3		

4. 6. Now the lamp is in "HALL"



5. How to delete the Lamps / remote control

5. 1. Press on "My devices"



5. 2. Hold down the highlighted lamp until the next window appears.



5. 3. Press the **"Recycle Bin"** icon and then OK - the light will be cleared from the app and will automatically reset to the **factory default**. (Luminaire shines red again)

iPad ᅙ		11:14	┦ 🖇 55 % 🔲
く My device	es		
			Delete and reset the device
			OK
EGLOC	eiling		٥
INFORMATION			
Name	EGLOCeiling		
Room	Office		>
Image			· • •
Version	1.2.3		

5. 4. Press on "My controllers"



iPad ᅙ		11:14	┦ 券 55 % 🔲
\equiv		Controller	+
	Remote control EGLORemote		>

5. 5. Press the **"ON" button and the blue button** simultaneously for **3 seconds** until the **red LED flashes.**



- 5. 6. The **"Remote control"** symbol appears bright.
 - Press and hold the selected remote control until the next picture appears.



5. 7. Press the **"Recycle Bin"** icon and then OK - the **remote control** will be cleared from the app and will automatically reset to the **factory default**.

iPad ᅙ		11:15	1	∦ 55 % 🔲
く My contro	ollers			
			Delete and reset the device	2
			ОК	
Remote	e control			
INFORMATION				
Name	Remote control			
Room	Office			>
Image				.0
Version	1.1.2			

6. Disconnect / logout the account



6. 1. Click on "the log in data" (bottom left - marked in red)

6. 2. Press **"Disconnect"** to unsubscribe your account. **ATTENTION! DO NOT PRESS DELETE, THE ACCOUNT DATA WILL BE DELETED!**

iPad ᅙ	11:15	┥ 🖇 55 % 🔲
\equiv	My account	
	We use Gravatar for the profile photo.	
	connect0004@eglo.com	
First name	POS Team	
Last name	Eglo	
Subscribe to Nev	wsletter	
		Disconnect